

Archives of Industrial Hygiene and Occupational Medicine

EDITORIAL BOARD

PHILIP DRINKER, Chief Editor

55 Shattuck Street, Boston 15

THEODORE F. HATCH, Pittsburgh

FENN E. POOLE, Glendale, Calif.

ROBERT A. KEHOE, Cincinnati

FRANK PRINCI, Denver

FRANK A. PATTY, Detroit

WILLIAM A. SAWYER, Rochester, N. Y.

JAMES H. STERNER, Rochester, New York


RICHARD J. PLUNKETT, M.D., Chicago, Managing Editor

INDEX TO VOLUME 1 JANUARY-JUNE 1950

**PUBLISHED MONTHLY BY AMERICAN MEDICAL ASSOCIATION, 535 NORTH
DEARBORN STREET, CHICAGO 10, ILLINOIS. ANNUAL SUBSCRIPTION, \$8.00**

Entered as Second Class Matter January 4, 1950, at the Postoffice at Chicago, Ill.
Under the Act of Congress of March 3, 1879

COPYRIGHT, 1950, BY THE AMERICAN MEDICAL ASSOCIATION



INDEX TO VOLUME 1

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles. Book Reviews and Obituaries are indexed under these headings in alphabetical order under the letters B and O, respectively.

Absenteeism, significance of nonoccupational disability, *1

sickness absenteeism in Finland, 385

Acaricides; toxicologic studies on new miticide bis (parachlorophenoxyl) methane; acute and semichronic toxicity, 341

Accidents: See also Trauma; Workmen's Compensation and Insurance; and under names of industries
industrial personal factors in; study of accident proneness in industrial group, 371

injury vs. gout, 592

prevention; industrial physician and accident prevention, *101

treatment of common industrial injuries, 368

Acetaminofluorene: See Fluorene

Acid, sulfuric; effect of protective ointment in prophylaxis of ulcerations due to sulfuric acid in workers in copper ammonium processed rayon, 362
sulfuric; removal of mists and dusts from air by beds of fluidized solids, 370

Adams, E. M.: Toxicologic studies on new miticide bis (parachlorophenoxyl) methane; acute and semichronic toxicity, *341
Vapor toxicity of 1,1,1-trichloroethane (methylchloroform) determined by experiments on laboratory animals, *225

Adrenal Preparations: See Dyspnea

Aeronautics: See Aviation and Aviators

Aerosols: See Air; Inhalation

Age, Old: See Old Age

Agricultural Workers; farm rehabilitation in South Carolina, 353
health problems in industrialized agriculture, 254

Air; atmospheric pollution; report on observations in 5 years ended 31st March, 1944, 594

Conditioning: See Ventilation

deposition of aerosol particles, from moving gas streams, 491
designing for air purity, 596

dissemination of aerosol particles dispersed from stacks, 491

electrostatic precipitator for continuous sampling of sulfuric acid aerosols and other air-borne particulate electrolytes, *556

Impurities: See also Carbon Monoxide; Dust; etc.

Impurities; legal regulation of air pollution, 490

Impurities; pollution of industrial establishments by chlorine and mercury vapors and its sanitary evaluation, 589

Air Passages: See Respiratory Tract

Alcohol, Furfuryl: See Furfuryl

Aldehydes, sampling and determination of in diesel-engine exhaust gas and in mine air, 495

Aluminum and Aluminum Compounds; morphology of bauxite-fume pneumoconiosis 115

Aluminum and Aluminum Compounds—Contd.
solubility of silica and alumina, *323

Therapy: See Pneumoconiosis

American Association of Industrial Dentists; annual meeting, 598

American Medical Association; Council on Foods and Nutrition and Council on Industrial Health; indiscriminate administration of vitamins to workers in industry, *573

Amines; vesical lesions due to aromatic amine; study of statistics and prevention, 361

Aminofluorene: See Fluorene

Ammonia and Ammonium Compounds; removal of mists and dusts from air by beds of fluidized solids, 370

skin sensitivity to cetrimide (CTAB), 365

Anaphylaxis and Allergy: See Asthma

Aniline and Aniline Derivatives; effect of feeding aniline on urinary bladder in rats, 127

Aniline Dyes: See Dyes

Anthracoilicosis: See Pneumoconiosis

Anthrax, cutaneous, diagnosis and treatment of, 357

Apparatus: See also Instruments

electrostatic precipitator for continuous sampling of sulfuric acid aerosols and other air-borne particulate electrolytes, *556

Armed Forces Personnel: See also Aviation and Aviators; Veterans; etc.
ocular injuries in armed forces, 696

Armies: See Aviation and Aviators; War

Arnold, M. F.: Arsenic poisoning; study of 13 cases, *437

Arsenic and Arsenic Compounds; arsine poisoning; epidemiologic studies of outbreak following exposure to gases from metallic dross, *419

arsine poisoning; study of 13 cases, *437

chronic arsenic poisoning, 486

Arsine: See Arsenic and Arsenic Compounds

Arteries, Coronary: See Coronary Vessels

Hypertension: See Blood Pressure, high

Arthritis, as late sequel of trauma of wrist from industrial accident, 118
rheumatoid, and trauma, 489

Asbestosis: See Pneumoconiosis

Ashenburg, N. J.: Acute inhalation toxicity of beryllium; enhancing effect of inhalation of hydrogen fluoride vapor on beryllium sulfate poisoning in animals, *398

Acute inhalation toxicity of beryllium; 4 definitive studies of beryllium sulfate at exposure concentrations of 100, 50, 10 and 1 mg. per cubic meter, *379

Asthma, bronchial, caused by chromium trioxide, 588

bronchial, caused by inhalation of wood dust, 473

bronchial, caused by Kejaat wood (pterocarpus angolensis); wood dust as inhalant allergen, 481

diagnosis of asthma, emphysema and silicosis by inhalation of aerosols containing vasodilators or vasoconstrictors, 362

Atmosphere: See Air

Atrophy, Optic: See Nerves, optic

Audition: See Hearing

- Aviation and Aviators:** clinical survey into effects of turbo-jet engine noise on service personnel; some preliminary remarks, 129
hearing of airline pilots; ten-year study, 387
toxic gases and aviation; gaseous concentrations and altitude, *248
- Back pain,** analysis of 50 cases of, 369
- Backache:** treatment of acute lumbago and acute low-back strain in general practice, 488
- Bactericides,** aerial, evaluation of, 263
- Bacasse:** See Longs
- BAL, Therapy:** See Uranium, poisoning
- Banfield, W. G., Jr.:** Distribution, effect and fate of oil aerosol particles retained in lungs of mice, *29
- Barber:** interdigital pilonidal sinus, 258
- Bass, S. L.:** Toxicologic studies on certain commercial silicones: 2 year dietary feeding of "DC Antifoam A" to rats, *539
- Bauxite:** See Pneumoconiosis
- Benzene:** bone marrow regeneration in experimental benzene intoxication, 692
labeling of benzene and carbon tetrachloride required in Massachusetts, 471
prophylaxis of benzolism; study of benzemia in workmen exposed to poisoning by benzene, 125
- Benzol:** See Benzene
- Beryllium:** acute dermatitis and pneumonitis in beryllium workers: review of 406 cases in 8 year period with follow-up on recoveries, 116
- Beryllium, acute inhalation toxicity of:** enhancing effect of inhalation of hydrogen fluoride vapor on beryllium sulfate poisoning in animals, *398
acute inhalation toxicity of: 4 definitive studies of beryllium sulfate at exposure concentrations of 100, 50, 10 and 1 mg. per cubic meter, *379
acute pneumonitis in beryllium worker, 118
chronic pulmonary berylliosis in workers using fluorescent powders containing beryllium, *195
clinical and physiopathologic studies on respiratory manifestations observed in workers exposed to beryllium, 589
control of atmosphere beryllium in metallurgical laboratory, 698
diffuse pulmonary granulomatosis in young women following exposure to beryllium compounds in manufacture of radio tubes; report of 5 cases, 483
enhancing effect of inhalation of hydrogen fluoride vapor on beryllium sulfate poisoning in animals, 484
granuloma of skin at site of injury by fluorescent bulb, 127
granulomas of skin, 485
injuries, 691
microdetermination of, with particular reference to its determination in biological materials, 123
poisoning, acute and chronic, 365
use of in New York state, 122
value of beryllium determinations in diagnosis of berylliosis, 363
- Bladder:** effect of feeding of aniline on urinary bladder in rats, 127
- Blast:** See Explosions
- Blood, Circulation:** See Heart; etc.
lead content of blood and cerebrospinal fluid in experimental lead poisoning, 695
potential sources of error in blood lead determinations due to different methods of blood sampling, *467
- Blood—Continued**
pressure, high; employment of hypertensives in industry, 352
Blubber Finger: See Fingers and Toes
Body, Mind and Body: See Mind, body and mind
Bones: See also under names of bones
marrow; regeneration in experimental benzene intoxication, 692
- BOOK REVIEWS:**
Air Pollution in Donora, Pa.; Epidemiology of Unusual Smog Episode of October, 1948: Preliminary Report: H. H. Schrenk, H. Heinmann, G. D. Clayton, W. M. Gafafer, and H. Wexler, 374
Analytical Chemistry of Industrial Poisons, Hazards and Solvents: M. B. Jacobs, 599
Applied Experimental Psychology: Human Factors in Engineering Design: A. Chapman, W. R. Garner and C. T. Morgan, 377
Bibliography of Occupational Medicine: International Labor Office, 599
Industrial Hygiene and Toxicology: F. A. Patty, 600
Industrial Toxicology: A. Hamilton and H. L. Hardy, 131
Length of Life: L. I. Dublin: A. J. Lotka and M. Spiegelman, 132
Médecine du travail: C. Simonin, 599
Odors: Physiology and Control: C. P. McCord and W. N. Witheridge, 131
Pharmacology and Toxicology of Uranium Compounds: C. Voeglin and H. C. Hodge, 269
Phenol and Its Derivatives: Relation Between Their Chemical Constitution and Their Effect on Organism (National Institutes of Health Bulletin, no. 190), 270
Psychologist in Industry: M. E. Steiner, 700
Rehabilitation of Handicapped: A Bibliography 1940-48: M. Riviere, 132
Smog Problem in Los Angeles County: Second Interim Report: Stanford Research Institute, 376
Toxic Eye Hazards: National Society for Prevention of Blindness, Inc., 497
Bottles: See Labeling
Bromomethane: life hazards and nature of products formed when chlorobromomethane extinguisher liquid is applied to fires, 259
Brown, H. V.: Parathion inhibition of cholinesterase, *633
Bureau of Mines: activities of Health and Safety Division, Bureau of Mines, United States Department of Interior, during war years, 1941-45, 114
Burns: beta ray burns of human skin, 264
chemical, of eye, 592
cutaneous, due to fluorescent light, 370
Bush, A. F.: Parathion inhibition of cholinesterase, *633
CTAB: See Ammonia and Ammonium Compounds
Cadle, R. D.: Electrostatic precipitator for continuous sampling of sulfuric acid aerosols and other air-borne particulate electrolytes, *556
Cadmium: importance of diet in studies of chronic toxicity, *73
injuries following continued administration of: preliminary report of clinical and experimental study, *458
prolonged inhalation of, *651
toxicity of cadmium sulfide and cadmium sulfoselenide pigments, *677
Cadmoliths*: toxicity of cadmium sulfide and cadmium sulfoselenide pigments, *677

- Cancer, incidence of in carbon black industry *662
- Carbon Bisulphide; acute carbon bisulphide poisoning; report of 3 cases, 1 fatal, 366
- Carbon Black Industry, incidence of cancer in, *662
- Carbon Dioxide: See also Respiration reaction to carbon dioxide in pneumoconiosis of coal miners, 358
- Carbon Disulfide; metabolism of labeled carbon disulfide in guinea pigs and mice, *54
- Carbon Monoxide from burning paint, 121 study of blood phosphorus and certain lipids in chronic carbon monoxide poisoning, 591
- Carbon Tetrachloride causes 2 deaths in industry, 121 labeling of benzene and carbon tetrachloride required in Massachusetts, 471 optic atrophy following inhalation of, *348 poisoning in man; mechanisms of renal failure and recovery, 692 poisoning; more regulation, more education needed, *90 poisoning (Norwood, Fuqua and Scudder) *1; (comment) (Foulger) 685
- Carcinoma: See Cancer
- Cardiovascular System: See also Heart; etc. cardiovascular changes in industrial lead poisoning, 589
- Cataract from infra-red rays (glass workers' cataract); preliminary study on exposures, *166
- Ceramics; dust control in ceramic industry, 698
- Cerebrospinal Fluid; lead content of blood and cerebrospinal fluid in experimental lead poisoning, 695
- Cesium; acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
- Cetrimide: See Ammonia and Ammonium Compounds
- Check: See Face
- Chemicals; hazards associated with chemical manufacturing, 697
- Chemotherapy: See under names of diseases and therapeutic agents
- Chlordane, toxic action of, *13
- Chlorine and Hypochlorite Derivatives; air pollution of industrial establishments by chlorine and mercury vapors and its sanitary evaluation, 589
- Chlorobromomethane: See Bromomethane
- Chlorocyclohexane: See Dermatitis
- Chlorodiphenyltrichloroethane: See Dichlorodiphenyltrichloroethane
- Chloroprene; health hazards in chloroprene rubber industry and their prevention; clinical and experimental study, with special reference to chloroprene and its oxidation and polymerization products, 269
- Choanae: See Nose
- Cholinesterase, parathion inhibition of, 633
- Chromium and Chromium Compounds; bronchial asthma caused by chromium trioxide, 588
- Cigarettes: See Tobacco
- Cinematography: See Moving Pictures
- Clinics; industrial health clinics for Wisconsin, 471
- Clothing, air-ventilated, for wear in extremely hot environments, *565
- Coal Miners: See Mines and Miners
- Coal Mining: See Mines and Miners
- Cochran, K. W.: Acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
- Cold Wave: See Cosmetics
- Colliery: See Mines and Miners
- Colorimeter and Colorimetry; colorimetric method for estimation of amyl acetate vapors in air, 595
- Columbium; acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
- Compensation: See also Workmen's Compensation and Insurance medicine, postgraduate course in, 373
- Congress: See Societies
- Coproporphyrin: See Urine, porphyrin and porphyrin compounds
- Coronary Vessels; surgical rehabilitation of coronary cripple, 695
- Cosmetics; toxicity of cold wave solutions, 596
- Cotter, L. H.: Trichloroethylene poisoning, *319
- Council on Foods and Nutrition: See American Medical Association
- Council on Industrial Health: See American Medical Association
- Crain, R. B.: Industrial employee with myocardial infarction; his ability to return to work, *525
- Cyclotron: See Radioactivity
- "DC Antifoam A": See Silicones
- DDT: See Dichlorodiphenyltrichloroethane
- Dearborn, N. H.: Industrial physician and accident prevention, *101
- Deafness: See Hearing
- Death; life and death by minute, 352
- Degreasers: See Trichloroethylene
- Dentists; annual meeting of American Association of Industrial Dentists, 598
- Dermatitis: See under names of substances and of industries; etc. acute, and pneumonitis in beryllium workers; review of 406 cases in 8 year period with follow-up on recoveries, 116 "barrier ointment" for protection of skin of rubber workers, 482 caused by formaldehyde and its compounds, 692 dermatoses from impregnation of wood, 587 faculitis; stimulation and self infliction as encountered in industrial dermatology, *271 non-eczematous, industrial, 359 occupational dermatoses in Philippines, 117 professional dermatosis due to hexachlorocyclohexane, 596
- Dermatology; simulation and self infliction as encountered in industrial dermatology, *271
- Dermatoses: See Dermatitis
- DeVoldre, J.: Acute inhalation toxicity of beryllium; enhancing effect of inhalation of hydrogen fluoride vapor on beryllium sulfate poisoning in animals, *398
- Dichlorodiphenyltrichloroethane; toxic action of chlordane [as compared with DDT], *13
- Diet and Dietetics: See also Food; Vitamins effects of feeding uranium nitrate hexahydrate in diets of breeding white rats, 122 importance of diet in studies of chronic toxicity, *73
- Dimercaptopropanol, Therapy: See Uranium Poisoning
- Dinitrophenol: See Nitrophenol

- Disabilities:** significance of nonoccupational disability, *1
- Disasters:** See Explosions; Fires; Gas, poisoning; War; etc.
- Disease:** See also Medicine; Public Health
significance of nonoccupational disability, *1
- Disk, Intervertebral:** See Spine
- Doctors:** See Physicians
- Doull, J.:** Acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
- Downing, J. G.:** Simulation and self infliction as encountered in industrial dermatology, *371
- DuBois, K. P.:** Acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
- Dunn, K. L.:** Cataract from infra-red rays (glass workers' cataract); preliminary study on exposures, *166
- Dust:** See also Pneumoconiosis
agglomeration of smoke, fog or dust particles by sonic waves, 492
and fume standards, 489
bronchial asthma caused by inhalation of wood dust, 473
control in ceramic industry, 698
design of exhaust ventilation for solid materials handling, 493
electrical precipitation and mechanical dust collection, 492
empyema of nasal sinuses as occupational disease due to dust inhalation, 362
etiologic study of silicosis due to dust of diatomaceous earth, 360
haemostiderosis and dust reticulation of coal-miners (interesting case report), 258
industrial dusts and fumes in Los Angeles area, 495
industrial sonic agglomeration and collection systems, 493
inhalation risk and particle size in dust and mist, 478
location of dust producing areas; use and limitations of midget impinger, 490
new pulmonary toxomycosis, 690
pathogenicity of bagasse; effect on rabbits of prolonged exposure to bagasse, 118
photoelectric measurement of coal dust stains on filter paper, 495
pneumoconiosis due to inhalation of graphite dust, 483
removal of mists and dusts from air by beds of fluidized solids, 370
respiratory disease; industrial hazard, 360
some practical aspects of dust prevention in collieries, 698
wood dust as inhalant allergen; bronchial asthma caused by Kelaat wood (*pterocarpus angolensis*), 481
- Dyes:** acute aniline poisoning; its clinical-hematologic course and its treatment, 128
survey of occupational vesical and renal lesions in dye-stuff industry of Basel, 119
vesical lesions due to aromatic amine; study of statistics and prevention, 361
- Dyspnea:** See also Asthma
"neo-epinephrine" in dyspnoea of coal-miners, 480
- Ear:** See Hearing; etc.
- Economics, Medicine:** See Medicine; Physicians; Public Health; etc.
- Education:** postgraduate course in compensation medicine, 373
postgraduate training program in industrial health technic, 598
recent developments in field of education in industrial medicine, 353
- Electrocardiogram:** See under Heart
- Elkins, H. B.:** Composition of nitrous fumes from industrial processes, *81
- Emergencies:** See Accidents; etc.
national, ocular contusions in, 696
- Emphysema:** diagnosis of asthma, emphysema and silicosis by inhalation of aerosols containing vasodilators or vasoconstrictors, 362
in anthraco-silicosis, 474
- Employment trends in relation to problems of aging, 472**
- Energy, Radiant:** See Radiations
- Epidermis:** See Skin
- Epinephrine:** potassemia and chloruremia in acute experimental benzolism treated with intravenous epinephrine in progressive doses, 125
- Erysiploid:** skin lesions among fishermen at Houtman's Abrolhos, Western Australia, with account of erysiploid of Rosenbach, 480
- Estrogens:** toxic effects of percutaneously absorbed estrogens, 364
- Examinations, Physical:** See Physical Examination
- Explosions:** safeguarding underground workmen from noxious gases resulting from blasting in strip mines, 130
- Eyes:** See also Vision
chemical burns of, 592
foreign bodies of, 593
lacerations of, 592
lesions of eye from radiant energy, 474
ocular contusions in national emergencies, 696
ocular injuries in Armed Forces, 696
promoting eye safety, 371
protecting eyesight in Philippine industry, 372
- Face:** granuloma of skin at site of injury by fluorescent bulb, 127
- Factories:** See under names of various industries
- Felt Hat Workers:** unusual outbreak of mercury poisoning in felt hat factory, 367
- Films:** occupational lesions of hands in workers with moving picture films, 482
- Filters:** proper air filter maintenance pays industry in good results, 264
- Fine, E. A.:** Pharmacologic studies of furfuryl alcohol, *625
- Fingers and Toes:** See also Hand
blood supply; outbreak of cases of Raynaud's phenomenon of occupational origin, 258
etiology of sealer's finger (blubber finger, "apeck finger"), 120
interdigital pilonidal sinus, 258
natural history and treatment of pulp space infection and osteomyelitis of terminal phalanx, 486
- Fires:** life hazards and nature of products formed when chlorobromomethane extinguisher liquid is applied to fires, 259
- Fishermen:** skin lesions among fishermen at Houtman's Abrolhos, Western Australia, with account of erysiploid of Rosenbach, 481
- Fluorene:** importance of diet in studies of chronic toxicity, *73
- Fluorescent Light:** chronic pulmonary berylliosis in workers using fluorescent powders containing beryllium, *195
cutaneous burns due to, 370
granuloma of skin at site of injury by fluorescent bulb, 127
safe disposal of fluorescent lamp tubes, 485
- Fluorescence Lighting:** See Fluorescent Light
- Fluorides:** acute inhalation toxicity of beryllium; enhancing effect of inhalation of hydrogen fluoride vapor on beryllium poisoning in animals, *398

- Fluorides**—Continued
 device and technique for rapid determination of effluent fluorides, 595
 effects of fluorine in Tennessee soils and crops, 494
 enhancing effect of inhalation of hydrogen fluoride vapor on beryllium sulfate poisoning in animals, 484
 preliminary investigation of blood fluoride levels following exposure to hydrogen fluoride at concentration of approximately 29 mg/M³, 588
 role of fluorosis in industrial and alimentary hygiene, 367
- Fluorine**: See Fluorides
- Fluorocopy**: See under Roentgen Rays
- Fluorosis**: See Fluorides
- Fog**: agglomeration of smoke, fog or dust particles by sonic waves, 492
- Food**: See also Diet and Dietetics; Nutrition; Vitamins; and under names of foods
 industrial efficiency as affected by food intake during mid-morning and mid-afternoon rest periods, 586
- Foot**: See Ankle; Fingers and Toes; etc.
- Foreign Bodies**: See under names of organs and regions, as Eyes; etc.
- Formaldehyde**: on dermatitis caused by formaldehyde and its compounds, 692
- Frant, R.**: Medical control on exposure of industrial workers to trichloroethylene, *508
- Fritberg, L.**: Injuries following continued administration of cadmium; preliminary report of clinical and experimental study, *458
- Fumes**: See also Air
 dust and fume standards, 489
 industrial dusts and fumes in Los Angeles area, 495
 industrial sonic agglomeration and collection systems, 493
 pneumoconiosis after exposure to sulfur dioxide fumes and dust from coke fires, 587
 smoke and fume investigations, 489
- Fumigation**: acute carbon bisulphide poisoning; report of 3 cases, 1 fatal, 366
- Fuqua, P. A.**: Carbon tetrachloride poisoning; more regulation, more education needed, *90; (comment) [Foulger] 685
- Furfuryl**: pharmacologic studies of furfuryl alcohol, *625
- Gabby, J. L.**: Toxicity of cadmium sulfide and cadmium sulfonelene pigments, *677
- Gas**: detection of volatile vapors and noxious gases from viewpoint of recovery and industrial hygiene, 263
 dispersion of gases from tall stacks, 491
 Poisoning: See also Carbon Monoxide; Nitrogen, oxides; etc.
 poisoning; toxic gases and aviation; gaseous concentrations and altitude, *545
 retention of vapors and gases in human nose and lung, *36
 sampling and determination of aldehydes in diesel-engine exhaust gas and in mine air, 495
 studies on respiratory gas exchange in 100 anthracite coal miners with pulmonary complaints, 688
 waste gases, 596
- Geever, E. F.**: Prolonged inhalation of cadmium, *651
- Geriatrics**: See Old Age
- Glands**: See Lymph Nodes; etc.
- Glass**: cataract from infra-red rays (glass workers' cataract); preliminary study on exposures, *166
- Gordon, R.**: Impairment of pulmonary function in anthracosilicosis, *133
- Gout**: injury vs. gout, 592
- Graduate Work**: See Education
- Grain Workers**: new pulmonary toxomycosis, 690
 pneumoconiosis and tuberculosis in dockers dealing with grain and seeds, 480
- Granuloma**: beryllium granulomas of skin, 485
 diffuse pulmonary granulomatosis in young women following exposure to beryllium compounds in manufacture of radio tubes; report of 3 cases, 483
 of skin at site of injury by fluorescent bulb, 127
- Graphite Workers**: (plumbago, black lead) as source of dusty lung disease, 689
 pneumoconiosis in, 479
- Green, J. W., Jr.**: Effects of prolonged inhalation of oil fogs on experimental animals, *237
- Hall, R. H.**: Acute inhalation toxicity of beryllium; 4 definitive studies of beryllium sulfate at exposure concentrations of 100, 50, 10 and 1 mg. per cubic meter, *379
- Hand**: See also Fingers and Toes
 beta ray burns of human skin, 264
 infection and sepsis in industrial wounds of, 697
 treatment of major injuries of, 487
- Hardy, H. L.**: Evidence of systemic effect of tetryl; with summary of available literature, *545
- Harger, R. N.**: Arsine poisoning; epidemiologic studies of outbreak following exposure to gases from metallic dross, *419
- Health**: See also Public Health
 at work, 256
 can management, labor and medicine work together for health? *46
 Education: See Hygiene and Sanitation
 Examination: See Physical Examination
 industrial, extending potential of, *181
 industrial health clinics for Wisconsin, 471
 industrial, Tenth Annual Congress on, 112
 memorandum on formation of integrated industrial health organization in India, 688
 service for hospital personnel, *160
- Hearing**: will noise damage one's hearing? 128
- Heart disease and continued employment**, 254
 electrocardiographic studies in anthracosilicosis, 475
 employment problems faced by cardiac patient, 593
 industrial employee with myocardial infarction; his ability to return to work, *325
- Heat**: See also Temperature
 air-ventilated clothing for wear in extremely hot environments, *565
 death and injury by heat and toxic factor, 483
 radiant and convective heating, 130
- Hematology**: See Blood; Hemopoietic System
- Hemochromatosis**: haemochromatosis and dust reticulation of coal-miners (interesting case report), 258
- Hemopoiesis**: See Hemopoietic System
- Hemopoietic System**: behavior of hemopoietic sternal marrow in electric arc workers, 366
- Hemosiderosis**: See Hemochromatosis
- Herrmann, R. G.**: Retention of vapors and gases in human nose and lung, *36
- Hexachlorocyclohexane**: See Dermatitis

- Heyroth, F. F.: Toxic properties of xylidine and monomethylaniline; comparative toxicity of xylidine ($C_8H_7(CH_3)_2NH_2$) and monomethylaniline ($C_8H_8N(H)CH_3$) inhaled as vapor in air by animals, *506
- Hospitals: health service for personnel, *160
- Housing: physiological aspects of better housing, 472
- Hydrocarbons: See also Benzene; Carbon Tetrachloride; etc.
- Hydrogen Fluoride: See Fluorides
- Hydroquinone: pigmentary disturbance following exposure to monobenzyl ether of hydroquinone, 120
- Hygiene and Sanitation: See also Health; Housing; Industry and Occupations; etc. course in Industrial Hygiene and Human Relations for Safety Personnel offered at University of Michigan School of Public Health, 598
hygienic conditions in packing houses of Fort of Naples, 385
- Hyperthyroidism: See Thyroid
- Industrial Hygiene and Human Relations for Safety Personnel course offered at University of Michigan School of Public Health, 598
- Industrial Physician: See Physicians
- Industry and Occupations: See also Psychiatry; Workmen's Compensation and Insurance; and under names of industries, as Agricultural Workers; Barbers; Carbon Black Industry; Chemical Manufacturing; Felt Hat Workers; Fishermen; Glass; Grain Workers; Graphite Workers; Iron and Steel Industry; Mines and Miners; Petroleum Industry; Policemen; Pottery Industry; Railroad Workers; Rayon Industry; Rubber Industry; Sandblasters; Sandstone Workers; Swineherds; Tannery Workers; Train Dispatchers; Wreckers; etc.
can management, labor and medicine work together for health? *46
chronic lipid pneumonia following occupational exposure, *105
doctor's role in industry, 353
new methods of investigation and investigations on occupational diseases, 118
recent developments in field of education in industrial medicine, 353
significance of nonoccupational disability, *1
treatment of common industrial injuries 368
- Infarction: See under Heart
- Infection: See also Wounds; etc. and pneumoconiosis, 474
- Infra-Red Rays: cataract from infra-red rays (glass workers' cataract); preliminary study on exposure, *166
- Ingalls, T. H.: Incidence of cancer in carbon black industry, *662
- Inhalation: See also Cadmium; Dust; Fluorides; etc.
diagnosis of asthma, emphysema and silicosis by inhalation of aerosols containing vasodilators or vasoconstrictors, 362
distribution, effect and fate of oil aerosol particles retained in lungs of mice, *20
retention of aerosols in respiration, 263
- Injuries: See Accidents; Trauma; etc.; and under names of diseases, organs and regions, as Eyes; Hand; etc.
- Insecticides: chronic arsenic poisoning, 486
parathion inhibition of cholinesterase, 633
toxic action of chlordane, *13
- Instruments: See also Apparatus
outbreak of cases of Raynaud's phenomenon of occupational origin, 258
- Insurance: See Workmen's Compensation and Insurance
- Intervertebral Disk: See Spine
- Intoxication: See Benzene; Nitrotoluene
- Irish, D. D.: Toxicologic studies on new miticide bis (parachlorophenoxy) methane; acute and semichronic toxicity, *341
Vapor toxicity of 1,1, 1-trichloroethane (methylchloroform) determined by experiments on laboratory animals, *225
- Iron and steel industry, 687
- Isotopes: See Radioactivity
- Jephcott, C. M.: Solubility of silica and alumina, *323
- Jet Planes: See Aviation and Aviators
- Johns, D. R.: Arsenic poisoning; study of 13 cases, *437
- Johnston, J. H.: Solubility of silica and alumina, *323
- Joints: See under names of joints
Diseases: See Arthritis; etc.
- Journals: See Periodicals
- Kidneys: carbon tetrachloride poisoning in war; mechanisms of renal failure and recovery, 692
- Kitsmiller, K. V.: Toxic properties of xylidine and monomethylaniline; comparative toxicity of xylidine ($C_8H_7(CH_3)_2NH_2$) and monomethylaniline ($C_8H_8N(H)CH_3$) inhaled as vapor in air by animals, *506
- Labeling: See under Benzene
- Labor: See under Industry and Occupations
- Lacerations: See under Eyes
- Landahl, H. D.: Retention of vapors and gases in human nose and lung, *36
- Lang, L. P.: Impairment of pulmonary function in anthracosis, *133
- Lanthanum: acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
- Lead: care of lead workers, *364
content of blood and cerebrospinal fluid in experimental lead poisoning, 695
field testing for tetraethyl lead in air by new ten-minute method, 371
graphite (plumbago, black lead) as source of dusty lung disease, 689
poisoning; cardiovascular changes in industrial lead poisoning, 589
poisoning; 2 cases of acute lead poisoning occurring in blenders of tetraethyl-lead fluid, 588
reliability of urinary porphyrin test for lead absorption, *290
role of porphyrins in occupational diseases; significance of coproporphyrinuria in lead workers, *296
simplified method of using basophilic aggregation test to control blood of lead-exposed workers, 591
solubility and relative toxicity of lead chromate II, 363
wrecking work on bridges as cause of severe lead poisoning, 126
- Life and death by minute, 352
- Light: See also Radiations
pathogenesis of photodermatitis from chlorinated naphthalenes, 368
- Lips: radiodermatitis of lip after exposure to arc welding, 355
- Literature: See also Periodicals
manual on International Exchange of Publications to be published by Unesco, 113
- Lumbago: See Backache

- Lungs:** See also Respiration; Respiratory Tract; etc.
distribution, effect and fate of oil aerosol particles retained in lungs of mice, *20
Dust Diseases: See Pneumoconiosis
graphite (plumbago, black lead) as source of dusty lung disease, 689
impairment of pulmonary function in anthracosilicosis, *133
pathogenicity of bagasse; effect on rabbits of prolonged exposure to bagasse, 116
pulmonary function studies in bituminous coal miners, 690
pulmonary penetration of fine particles administered by intratracheal insufflation and inhalation, 638
retention of vapors and gases in human nose and lung, *36
stratigraphic study of hills of lungs in course of silicosis, 482
studies on respiratory gas exchange in 100 anthracite coal miners with pulmonary complaints, 688
Tuberculosis: See Tuberculosis, pulmonary
Laongo, E. P.: Relationships between industrial medical department and private physician, *452
Lushbaugh, C. C.: Effects of prolonged inhalation of oil fogs on experimental animals, *237
Lymph Nodes: silicosis of mediastinal lymph nodes and its complications, 115
McKee, R. W.: Metabolism of labeled carbon disulfide in guinea pigs and mice, *54
MacMahon, H. E.: Chronic pulmonary berylliosis in workers using fluorescent powders containing beryllium, *195
Macri, F. J.: Distribution and excretion of intravenously administered methyl chloride, *215
Magill, P. L.: Electrostatic precipitator for continuous sampling of sulfuric acid aerosols and other air-borne particulate electrolytes, *556
Malnutrition: See Nutrition
Malingering: simulation and self infliction as encountered in industrial dermatology, *271
Maloolf, C. C.: Evidence of systemic effect of tetra, with summary of available literature, *545
Role of porphyrins in occupational diseases; significance of coproporphyrinuria in lead workers, *296
Manson, M. P.: Concept of rehabilitation applied to paraplegia, *65
Manuals on International Exchange of Publications: to be published by Unesco, 113
Marbarger, J. P.: Air-ventilated clothing for wear in extremely hot environments, *565
May, I.: Potential sources of error in blood lead determinations due to different methods of blood sampling, *467
Mazur, M.: Acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
Medical Care: See Hospitals; Medicine; etc.
Medical Education: See Education
Medical Literature: See Literature
Medical Service: See Hospitals
Medical Societies: See Societies
Medicine: See also Ophthalmology; Physicians; etc.
Aviation: See Aviation and Aviators
Industrial: See also Industry and Occupations
industrial, at Saco-Lowell shops, 261
Medicine—Continued
industrial; hygiene; preventive and industrial medicine, in flat review of German Science 1939-1946, 687
industrial, neuritis and neuropathy in, 261
industrial; relationships between industrial medical department and private physician, *452
postgraduate course in compensation medicine, 373
Preventive: See also Physical Examination; Public Health
preventive; extending potential of industrial health, *181
preventive; hygiene; preventive and industrial medicine, in flat review of German science 1939-1946, 687
preventive; significance of nonoccupational disability, *1
Psychosomatic: See under Mind
rehabilitation; third phase of medicine, *411
Mental Diseases: See Psychiatry
Mercaptopropanol (BAL), Therapy: See Uranium, poisoning
Mercury: air pollution of industrial establishments by chlorine and mercury vapors and its sanitary evaluation, 589
alkyl mercury compound poisoning; clinical aspect and risks of exposure, 591
deaths of workers in contact with mercury primers, 368
hyperthyroidism and chronic mercury poisoning, 590
poisoning from fingerprint photography; occupational hazard of policemen, 365
poisoning; unusual outbreak in felt hat factory, 367
Metabolism of labeled carbon disulfide in guinea pigs and mice, *54
Methane, chloro, derivatives: relation between toxic action of chlorinated methanes and their chemical and physicochemical properties, 693
Methyl Bromide poisoning, clinical contribution to, 126
Methyl Chloride, intravenously administered; distribution and excretion of, *215
Methylaniline: toxic properties of xylidine and monomethylaniline; comparative toxicity of xylidine ($C_6H_4(CH_3)_2NH_2$) and monomethylaniline ($C_6H_5N(H)CH_3$) inhaled as vapor in air by animals, *566
Military Medicine: See Aviation and Aviators; Veterans; etc.
Miller, C. W.: Chronic lipid pneumonia following occupational exposure, *105
Mind, body and mind; practical methods for handling psychosomatic problems in industry, 255
Mineral Oil: See Petrolatum, liquid
Mines and Miners: See also Pneumoconiosis
activities of Health and Safety Division, Bureau of Mines, United States Department of Interior, during war years, 1941-45, 114
central mining—Rand mines group; health department report for year 1945, 354
haemosiderosis and dust reticulation of coal-miners (interesting case report), 258
miner's nystagmus, 256
"neo-epinephrine" in dyspnoea of coal-miners, 489
pulmonary function studies in bituminous coal miners, 690
reaction to carbon dioxide in pneumoconiosis of coal miners, 358

- Mines and Miners—Continued**
 review of literature on conditioning air for advancement of health and safety in mines; methods of controlling chemical and physical qualities of underground air, 596
 safeguarding underground workmen from noxious gases resulting from blasting in strip mines, 130
 some practical aspects of dust prevention in collieries, 698
 studies on respiratory gas exchange in 100 anthracite coal miners with pulmonary complaints, 688
 vital capacity measurements in Cornish tin miners, 477
 working conditions of coal miners in mines of Arroio dos Ratos and Butá, 130
- Missal, M. E.:** Industrial employee with myocardial infarction; his ability to return to work, *525
- Monoxide Poisoning:** See Carbon Monoxide
- Moritz, A. R.:** Peritoneal reaction to injected fused (spherical) and unfused (spiculate) quartz; pathologic studies, *499
- Motley, H. L.:** Impairment of pulmonary function in anthracosilicosis, *133
- Moving Pictures:** occupational lesions of hands in workers with moving picture films, 482
 revised edition of "Review of Medical Motion Pictures" now available, 598
- Muscles, Paralysis:** See Paralysis
- Myocardium:** See Heart
- Naphthalene:** pathogenesis of photodermatitis from chlorinated naphthalenes, 368
- Nasal Sinuses:** See Sinuses, Nasal
- "Neo-Epinine":** See Dyspnoea
- Neoplasms:** See Cancer
- Nephelometer:** use of for determination of concentration and dimensions of smoke particles in atmosphere of industrial plants, 496
- Nerves:** See also Neuritis; Paralysis
 optic; atrophy following inhalation of carbon tetrachloride, *548
- Neuritis and neuropathy in industrial medicine,** 361
- Ney, L.:** Electrostatic precipitator for continuous sampling of sulfuric acid aerosols and other air-borne particulate electrolytes, *556
- Nitric Oxide:** See Nitrogen, oxides
- Nitroaniline:** evidence of systemic effect of tetral, with summary of available literature, *545
- Nitrogen, oxides:** composition of nitrous fumes from industrial processes, *51
- Nitrophenol:** professional dinitrophenol poisoning, 486
- Nitrotoluene:** blood researches in experimental trinitrotoluene poisoning, 125
 coproporphyrinuria in experimental intoxication due to trinitrotoluene, 589
- Noise:** See also Explosions
 clinical survey into effects of turbo-jet engine noise on service personnel; some preliminary remarks, 129
 hazards of intense sound and ultrasound, 594
 will noise damage one's hearing? 128
- Nomenclature:** outbreak of cases of Raynaud's phenomenon of occupational origin, 258
- Norby, J. G.:** Health service for hospital personnel, *160
- Norwood, W. D.:** Carbon tetrachloride poisoning; more regulation; more education needed, *90; (comment) [Foulger] 685
- Nose:** retention of vapors and gases in human nose and lung, *36
- Nuclear Energy:** See Radioactivity
- Nutrition:** See also Diet and Dietetics; Vitamins
 indiscriminate administration of vitamins to workers in industry, *573
- Nystagmus, miner's,** 256
- Obituaries:**
 Sappington, Clarence O., 267
- Occupations:** See Industry and Occupations
- Octa-klor®:** toxic action of chlordan, *13
- Oil Aspiration Pneumonia:** See Pneumonia, lipid
 distribution, effect and fate of oil aerosol particles retained in lungs of mice, *20
 effects of prolonged inhalation of oil fogs on experimental animals, *257
- Mineral:** See Petroleum, liquid
- Ointments:** "barrier ointment" for protection of skin of rubber workers, 482
 effect of protective ointment in prophylaxis of ulcerations due to sulfuric acid in workers in copper ammonium processed rayon, 362
- Old Age:** experiment in education of older workers, 255
 summary of physical findings of employees over 60 years of age, 254
 trends of employment in relation to problems of aging, 472
- Olken, H. G.:** Chronic pulmonary berylliosis in workers using fluorescent powders containing beryllium, *195
- O,O-Diethyl O-Para-Nitrophenyl Thiophosphate:** parathion inhibition of cholinesterase, *633
- Ophthalmology, industrial, common problems in,** 369
- Osteomyelitis:** natural history and treatment of pulp space infection and osteomyelitis of terminal phalanx, 486
- Page, R. C.:** Significance of nonoccupational disability, *1
- Pain:** analysis of 50 cases of back pain, 369
- Paint:** monoxide from burning paint, 121
- Paralysis, spinal:** concept of rehabilitation applied to paraplegia, *65
- Paraplegia:** See Paralysis, spinal
- Parathion inhibition of cholinesterase,** *633
- Periodicals:** *Today's Health* is new name for *Hygeia*, 113
- Peritoneum:** peritoneal reaction to injected fused (spherical) and unfused (spiculate) quartz; pathologic studies, *499
- Permanent Waving:** See Cosmetics
- Peters, T., Jr.:** Metabolism of labeled carbon disulfide in guinea pigs and mice, *54
- Petrol:** See Petroleum
- Petrolatum, liquid;** chronic lipid pneumonia following occupational exposure, 105
- Petroleum Industry:** significance of nonoccupational disability, *1
- Petroleum:** unusual symptoms in petrol tank cleaners, 123
- Petronella, S. J.:** Arsenic poisoning; study of 13 cases, *437
- Phalanges:** See Fingers and Toes
- Phenoxy methane, parachloro:** toxicologic studies on new miticide bis (parachlorophenoxy methane; acute and semichronic toxicity, *341
- Photodermatitis:** See under Light

- Photography; mercury poisoning from fingerprint photography; occupational hazard of policeman, 365
- Physical Examination; medical examination of 500 African railway workers, 354
- Physicians: See also Obituaries
annual meeting of American Association of Industrial Physicians and Surgeons, 471
doctor's role in industry, 353
industrial physician and accident prevention, *101
relationships between industrial medical department and private physician, *432
- Pigmentation; pigmentary disturbance following exposure to monobenzyl ether of hydroquinone, 120
- Pigments; toxicity of cadmium sulfide and cadmium sulfoselenide pigments, *677
- Pilonidal Sinus, interdigital, 258
- Pilots: See Aviation and Aviators
- Pinto, S. S.: Arsenic poisoning; study of 13 cases, *437
- Pitometer; airflow pitometer, 597
- Plumbism: See Lead, poisoning
- Pneumatic Tools; role of repeated trauma by pneumatic drill in production of amyotrophic lateral sclerosis, 115
- Pneumonia; acute dermatitis and pneumonitis in beryllium workers; review of 406 cases in 8 year period with follow-up on recoveries, 116
acute pneumonitis in beryllium worker, 118
lipid, chronic, following occupational exposure, *105
- Pneumonitis: See Pneumonia
- Pneumoconiosis after exposure to sulfur dioxide fumes and dust from coke fires, 587
among workers in plant engaged in grinding synthetic abrasive materials, 355
and infection, 474
and tuberculosis in dockers dealing with grain and seeds, 450
anthracosilicosis and its asymptomatic treatment, 356
clinical evaluation of disability in anthracosilicosis, 475
contribution to study of "cor pulmonale" in silicosis, 120
diagnosis of asthma, emphysema and silicosis by inhalation of aerosols containing vasodilators or vasoconstrictors, 362
due to inhalation of graphite dust, 483
"egg shell" calcifications in silicosis, 257
electrocardiographic studies in anthracosilicosis, 475
emphysema in anthracosilicosis, 474
etiologic study of silicosis due to dust of diatomaceous earth, 360
impairment of pulmonary function in anthracosilicosis, *133
in graphite workers, 479
late silicosis in sandblaster, 361
morphology of bauxite-fume pneumoconiosis, 115
mortality and survival rates in males with silicosis or silico-tuberculosis, 480
"neo-equine" in dyspnea of coal-miners, 480
present status of aluminum in therapy and prophylaxis of silicosis, 355
problem of consistent radiological diagnosis in coal miner's pneumoconiosis, 476
pulmonary asbestosis; anatomicopathologic study of case, 362
reaction to carbon dioxide in, *358
silicoanthracosis and tuberculosis in Netherlands coal mine, 588
silicosis in potteries, 478
silicosis in sandstone workers, 478
silicosis of mediastinal lymph nodes and its complications, 115
- Pneumoconiosis—Continued
stratigraphic study of hills of lungs in course of silicosis, 482
study of serofunctional changes in patients with silicosis, 361
- Poisons and Poisonings: See also under names of substances, as Ammonium and Ammonium Compounds; Aniline; Arsenic and Arsenic Compounds; Benzene; Beryllium; Cadmium; Carbon Bisulphide; Carbon Monoxide; Carbon Tetrachloride; Chloroform; Fluorene; Fluorides; Gas; Lead; Mercury; Methyl Bromide; Methylaniline; Naphthalene; Nitroaniline; Nitrophenol; Nitrotoluene; Thiourea; Trichloroethylene; Uranium; Xylidine; Xylose; etc.
hazards in use of new poisons, 485
- Police: mercury poisoning from fingerprint photography; occupational hazard of policeman, 365
- Porphyria: See under Urine
- Pottery Industry; silicosis in potteries, 478
- Postgraduate Education: See Education
- Powders; chronic pulmonary berylliosis in workers using fluorescent powders containing beryllium, *193
- Precipitator, electrostatic, for continuous sampling of sulfuric acid aerosols and other air-borne particulate electrolytes, *556
- Preventive Medicine: See Medicine, preventive
- Prinzel, F.: Prolonged inhalation of cadmium, *651
- Proudt, J. P.: Chronic lipid pneumonia following occupational exposure, *105
- Psychiatry, place of in industry, 584
- Psychosomatic Medicine: See under Mind
- Public Health: See also Hygiene and Sanitation; Industry and Occupations; Medicine, preventive; etc.
meeting of Advisory Committee on Industrial Hygiene to Public Health Service, 112
- Publications: See Literature; Periodicals
- Quartz; peritoneal reaction to injected fused (spherical) and unfused (spiculate) quartz; pathologic studies, *499
petrographic determination of quartz in presence of claylike minerals, 596
- Radiations; exposures from use of shoe-fitting fluoroscopes, 266
lesions of eye from radiant energy, 474
potential dangers in uncontrolled use of shoe-fitting fluoroscopes, 266
protection, bibliography on, 266
- Radio; diffuse pulmonary granulomatosis in young women following exposure to beryllium compounds in manufacture of radio tubes; report of 5 cases, 483
- Radioactivity; beta ray burns of human skin, 264
hazards to physicians, patients, nurses, and others from use of radioactive isotopes, 265
observations on blood of cyclotron workers, 266
safe disposal of radioactive wastes, 265
- Radiodermatitis: See Roentgen Rays
- Radiology; protection of personnel engaged in roentgenology and radiology, 265
- Railroad Workers; medical examination of 500 African railway workers, 354
- Raynaud's Phenomenon: See Fingers and Toes, blood supply
- Rayon Industry; hygienic evaluation of decentralized ventilation in spinning plant of viscose rayon factory, 597

- Rayon Industry—Continued**
 effect of protective ointment in prophylaxis of ulcerations due to sulfuric acid in workers in copper ammonium processed rayon, 362
- Rays:** See Roentgen Rays; Ultraviolet Rays; etc.
- Read, E.:** Can management, labor and medicine work together for health? *46
- Receptacles:** See Labeling
- Reconditioning:** See Rehabilitation
- Redemann, C. E.:** Effects of prolonged inhalation of oil fogs on experimental animals, *237
- Rehabilitation:** See also Farmers
 concept of rehabilitation applied to paraplegia, *65
 on job, 127
 physical, of injured workmen in British Columbia, 128
 surgical, of coronary cripple, 695
 third phase of medicine, *411
- Respiration:** studies on respiratory gas exchange in 100 anthracite coal miners with pulmonary complaints, 688
- Respiratory Tract:** See also Nose; etc.
 respiratory disease; industrial hazard, 360
- Roentgen Rays:** See also Radiations
 medical X-ray protection up to 2,000,000 volts, 372
 potential dangers in uncontrolled use of shoe-fitting fluoroscopes, 266
 radiation exposures from use of shoe-fitting fluoroscopes, 266
 radiodermatitis of lip after exposure to arc welding, 355
- Roentgenology:** protection of personnel engaged in roentgenology and radiology, 265
- Rosenbaum, S. J.:** Distribution, effect and fate of oil aerosol particles retained in lungs of mice, *20
- Rowe, V. K.:** Toxicologic studies on certain commercial silicones; 2 year dietary feeding of "DC Antifoam A" to rats, *539
 Toxicologic studies on new miticide bis (parachlorophenoxy) methane; acute and semichronic toxicity, *341
 Vapor toxicity of 1,1,1-trichloroethane (methylchloroform) determined by experiments on laboratory animals, *225
- Rubber Industry:** "barrier ointment" for protection of skin of rubber workers, 482
 health hazards in chloroprene rubber industry and their prevention; clinical and experimental study, with special reference to chloroprene and its oxidation and polymerization products, 260
 pigmentary disturbance following exposure to monobenzyl ether of hydroquinone, 120
- Ruotolo, B. P. W.:** Composition of nitrous fumes from industrial processes, *81
- Rural Conditions:** farm rehabilitation in South Carolina, 353
- Rusk, H. A.:** Rehabilitation; third phase of medicine, *411
- Sandblasters:** late silicosis in, 361
- Sanitation:** See Hygiene and Sanitation
- Sandstone Workers:** silicosis in, 478
- Schadt, C.:** Electrostatic precipitator for continuous sampling of sulfuric acid aerosols and other air-borne particulate electrolytes, *556
- Schrenk, B. H.:** Causes, constituents and physical effects of smog involved in specific dramatic episodes, *189
- Sclerosis, amyotrophic, lateral:** role of repeated trauma by pneumatic drill in production of, 115
- Scott, J. K.:** Acute inhalation toxicity of beryllium; enhancing effect of inhalation of hydrogen fluoride vapor on beryllium sulfate poisoning in animals, 398
 Acute inhalation toxicity of beryllium; 4 definitive studies of beryllium sulfate at exposure concentrations of 100, 50, 10 and 1 mg. per cubic meter, *379
- Scrubbers:** development of Venturi scrubbers, 492
- Scudder, B. C.:** Carbon tetrachloride poisoning; more regulation, more education needed, *90; (comment) [Foulger] 685
- Sealer's Finger:** See Fingers and Toes
- Seideman, R. M.:** Reliability of urinary porphyrin test for lead absorption, *290
- Sepsis:** See Wounds
- Seymour, W. H.:** Extending potential of industrial health, *181
- Shoshkes, M.:** Distribution, effect and fate of oil aerosol particles retained in lungs of mice, *20
- Sickness:** See Disease
- Sigmon, H. E.:** Toxic properties of xylidine and monomethylaniline; comparative toxicity of xylidine ($C_8H_9(CH_3)NH_2$) and monomethylaniline ($C_6H_5N(CH_3)CH_3$) inhaled as vapor in air by animals, *506
- Silica:** See Silicon Compounds
- Silicon Compounds:** solubility of silica and alumina, *323
 toxicologic studies on certain commercial silicones; 2 year dietary feeding of "DC Antifoam A" to rats, *539
- Silicones:** See Silicon Compounds
- Silicosis:** See Pneumoconiosis
- Silverman, L.:** Peritoneal reaction to injected fused (spherical) and unfused (spiculate) quartz; pathologic studies, *499
- Simulation:** See Malingering
- Sinus:** See Pilonidal Sinus
- Sinuses, Nasal:** empyema of nasal sinuses as occupational disease due to dust inhalation, 362
- Sitgreaves, R.:** Potential sources of error in blood lead determination due to different methods of blood sampling, *467
- Skeleton:** See Bones
- Skin:** See also Dermatology
 beta ray burns of human skin, 264
 Diseases: See Dermatitis
- Smith, A. R.:** Optic atrophy following inhalation of carbon tetrachloride, *348
- Smith, F. A.:** Acute inhalation toxicity of beryllium; enhancing effect of inhalation of hydrogen fluoride vapor on beryllium sulfate poisoning in animals, 398
- Smith, M. I.:** Toxic action of chlordane, *13
- Smog:** causes, constituents and physical effects of smog involved in specific dramatic episodes, 189
 chemistry of, 595
 industrial sonic agglomeration and collection systems, 493
 Los Angeles smog problem, 494
- Smoke:** agglomeration of smoke, fog or dust particles by sonic waves, 492
 and fume investigations, 489
 forty-second annual meeting of Smoke Prevention Association of America, 593
 use of nephelometer for determination of concentration and dimensions of smoke particles in atmosphere of industrial plants, 496
- Smoking:** See Tobacco
- Social Medicine:** See Medicine; Public Health Societies; American Academy of Occupational Medicine, 113

- Societies—Continued
 annual meeting of American Association of Industrial Physicians and Surgeons, 471
 Ninth Annual Congress on Industrial Health; report of panel on environmental hygiene, 601
 Tenth Annual Congress on Industrial Health, 112
 Soldiers: See Armed Forces Personnel
 Solvents: See Benzene; Carbon Tetrachloride; etc.
 Soot, industrial; incidence of cancer in carbon black industry, *662
 Sounds: See Noise
 Spealman, C. R.: Toxic gases and aviation; gaseous concentrations and altitude, *248
 "Speck Finger": See Fingers and Toes
 Spencer, H. C.: Toxicologic studies on certain commercial silicones; two year dietary feeding of "DC Antifoam A" to rats, *539
 Toxicologic studies on new miticide bis (parachlorophenoxy) methane; acute and semichronic toxicity, *341
 Vapor toxicity of 1,1,1-trichloroethane (methylchloroform) determined by experiments on laboratory animals, 225
 Sperling, F.: Distribution and excretion of intravenously administered methyl chloride, *215
 Spine: conservative treatment of industrial intervertebral disc injuries, 260
 protruded lumbar intervertebral discs; results following surgical and non-surgical therapy, 696
 Spirochetosis, leishmanomorphagic; Weil's disease in north-east of Scotland, 477
 Spolyar, L. W.: Arsenic poisoning; epidemiologic studies of outbreak following exposure to gases from metallic dross, *419
 Sporotrichosis, industrial, 259
 Sprague, G. F., III: Acute inhalation toxicity of beryllium; 4 definitive studies of beryllium sulfate at exposure concentrations of 100, 50, 10 and 1 mg. per cubic meter, *379
 Sprays: parathion inhibition of cholinesterase, 633
 Steadman, L. T.: Acute inhalation toxicity of beryllium; 4 definitive studies of beryllium sulfate at exposure concentrations of 100, 50, 10 and 1 mg. per cubic meter, *379
 Stohlman, E. F.: Toxic action of chlordane, *13
 Stokinger, H. E.: Acute inhalation toxicity of beryllium; enhancing effect of inhalation of hydrogen fluoride vapor on beryllium sulfate poisoning in animals, *398
 Acute inhalation toxicity of beryllium; 4 definitive studies of beryllium sulfate at exposure concentrations of 100, 50, 10 and 1 mg. per cubic meter, *379
 Strittmatter, C. F.: Metabolism of labeled carbon disulfide in guinea pigs and mice, *54
 Strontium; acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
 Sulfur: determination of free sulphur in atmosphere, 262
 dioxide in atmosphere and its relation to plant life, 494
 pneumoconiosis after exposure to sulfur dioxide fumes and dust from coke fires, 557
 Surgeons: annual meeting of American Association of Industrial Physicians and Surgeons, 471
 Susceptibility: See Asthma
 Swineherds, diseases of; clinic and etiopathologic study of sporadic, benign meningotyphoid (occupational type); case, 482
 Tannery Workers; diagnosis and treatment of cutaneous anthrax, 357
 Tantalum; acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
 Temperature: See also Heat
 control of excessively high effective temperatures, 264
 Tetraethyl Lead: See Lead
 Tetryl: See Nitroaniline
 Theodis, P. A.: Impairment of pulmonary function in anthracosis, *133
 Thermometers; use of wet kata thermometer on Witwatersrand, 264
 Thiourea; importance of diet in studies of chronic toxicity, *73
 Thorp, W. T. S.: Toxic action of chlordane, *13
 Thyroid; hyperthyroidism and chronic mercury poisoning, 590
 Tin Miners: See Mines and Miners
 TNT: See Nitrotoluene
 Tobacco; composition of cigaret smoke; gaseous phase, 370
 Toes: See Fingers and Toes
 Toluene poisoning, acute, 124
 Tools: See Instruments
 Toxicology: See also Poisons and Poisoning; and under names of poisonous substances
 medical progress, 694
 Toxomycosis, pulmonary, new, 699
 Train Dispatchers; life and death by minute, 352
 Trauma: See also Accidents
 and rheumatoid arthritis, 489
 of wrist from industrial accident; arthritis, as late sequel of, 118
 role of repeated trauma by pneumatic drill in production of amyotrophic lateral sclerosis, 115
 Treon, J. F.: Toxic properties of xylylene and monomethylaniline; comparative toxicity of xylylene ($C_6H_4(C_6H_5)_2$) and monomethylaniline ($C_6H_5N(CH_3)_2$) inhaled as vapor in air by animals, *506
 1,1,1-Trichloroethane; vapor toxicity of 1,1,1-trichloroethane (methyl-chloroform) determined experiments on laboratory animals, *225
 Trichloroethylene; carbon tetrachloride causes 2 deaths in industry, 121
 medical control on exposure of industrial workers to, *308
 poisoning, *319
 Trinitrotoluene: See Nitrotoluene
 Tuberculosis and pneumoconiosis in dockers dealing with grain and seeds, 480
 and silicoanthracosis in Netherlands coal mine, 588
 mortality and survival rates in males with silicosis or silico-tuberculosis, 489
 pulmonary tuberculosis in industry; an epidemiological study, 117
 Tumors: See Cancer; and under names of organs and regions
 Typhoid; disease of swineherds; clinic and etiopathologic study of sporadic, benign meningotyphoid (occupational type); case, 481
 Ulcers; effect of protective ointment in prophylaxis of ulcerations due to sulfuric acid in workers in copper ammonium processed rayon, 362

- United States Public Health Service: See Public Health
- Uranium, poisoning; failure of 2,3 dithio-propanol (BAL) to affect acute systemic uranium poisoning, 364
- Urine; coproporphyrinuria in experimental intoxication due to trinitrotoluene, 589
reliability of urinary porphyrin test for lead absorption, *290
role of porphyrins in occupational diseases; significance of coproporphyrinuria in lead workers, *296
- Van Ordestrand, H. S.: Chronic lipid pneumonia following occupational exposure, *105
- Ventilation, decentralized; hygienic evaluation of in spinning plant of viscose rayon factory, 597
design of exhaust ventilation for solid materials handling, 493
review of literature on conditioning air for advancement of health and safety in mines; methods of controlling chemical and physical qualities of underground air, 596
- Vertebrae: See Spine
- Veterans: concept of rehabilitation applied to paraplegia, *65
- Vision: See also Eyes
Industrial vision techniques, 129
- Vitamins, indiscriminate administration of to workers in industry, *573
- von Ottingen, W. F.: Distribution and excretion of intravenously administered methyl chloride, *215
- Wade, H. A.: Composition of nitrous fumes from industrial processes, *81
- Waldman, R. K.: Reliability of urinary porphyrin test for lead absorption, *290
- War: ocular injuries in armed forces, 696
- Well's Disease: See Spirochetosis, ictero-hemorrhagic
- Welding: behavior of hemopoietic sternal marrow in electric arc workers, 366
- Welding—Continued
radiodermatitis of lip after exposure to arc welding, 355
- Westendorp, J.: Medical control on exposure of industrial workers to trichloroethylene, *368
- Willis, J. H.: Pharmacologic studies of furfuryl alcohol, *625
- Wilson, K. W.: Industrial employee with myocardial infarction; his ability to return to work, *525
- Wood, dermatoses from impregnation of, 587
dust, bronchial asthma caused by inhalation of, 473
- Work relationships, 114
working life span of American workers, 472
- Workmen's Compensation and Insurance; injury vs. gout, 592
simulation and self infliction as encountered in industrial dermatology, *271
- Wounds; infection and sepsis in industrial wounds of hand, 697
- Wreckers: wrecking work on bridges as cause of severe lead poisoning, 126
- Wright, H.: Toxic properties of xylidine and monomethylaniline; comparative toxicity of xylidine ($C_6H_4(CH_3)NH_2$) and monomethylaniline ($C_6H_5N(H)CH_3$) inhaled as vapor in air by animals, *506
- Wrist; arthritis as late sequel of trauma of wrist from industrial accident, 118
- X-Rays: See Roentgen Rays
- Xylidine: toxic properties of xylidine and monomethylaniline; comparative toxicity of xylidine ($C_6H_4(CH_3)NH_2$) and monomethylaniline ($C_6H_5N(H)CH_3$) inhaled as vapor in air by animals, *506
- Xylose; importance of diet in studies of chronic toxicity, *73
- Yttrium: acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637
- Zirconium: acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium, *637

